

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 647 | normaliz\$4 near10 attribute\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:07 |
| L2 | 55 | normaliz\$4 near10 attribute\$1 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:08 |
| L3 | 55 | normaliz\$4 near10 model\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:09 |
| L4 | 37 | normaliz\$4 near10 model\$4 and "709"/\$.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:15 |
| L5 | 0 | normaliz\$6 near10 model\$4 near10 base and "709"/\$.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:15 |
| L6 | 13 | normaliz\$6 near10 model\$4 near10 base and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 08:15 |
| S1 | 350 | allocation near5 (matrix matrices) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:26 |
| S2 | 6 | allocation near5 (matrix matrices) same server\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:49 |
| S3 | 899 | (map mapping mapped) near10 servic\$4 near10 server\$1 and 2ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:50 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S4 | 479 | (map mapping mapped) near10 servic\$4 near10 server\$1 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:54 |
| S5 | 16 | (map mapping mapped) near10 servic\$4 near10 cluster\$1 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:51 |
| S6 | 24 | (map mapping mapped) near10 servic\$4 near10 server\$1 same layer\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:56 |
| S7 | 171 | model\$4 with layer\$4 and @ad<"20011026" and 709/217-219.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:00 |
| S8 | 68 | model\$4 with layer\$4 and @ad<"20011026" and 709/217-219.ccls. and demand\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:58 |
| S9 | 4 | model\$4 with layer\$4 same (map mapped mapping) and @ad<"20011026" and 709/217-219.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:01 |
| S10 | 411 | model\$4 with layer\$4 same (map mapped mapping) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:01 |
| S11 | 673 | model\$4 with layer\$4 same (map mapped mapping) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:01 |
| S12 | 58 | model\$4 with layer\$4 same (map mapped mapping) and @ad<"20011026" and "709"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:03 |
| S13 | 1 | model\$4 with layer\$4 same (map mapped mapping) and @ad<"20011026" and "709"/220-222.ccls. and 709/226, 229.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:04 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S14 | 160 | @ad<"20011026" and "709"/220-222.ccls. and 709/226, 229.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:04 |
| S15 | 0 | @ad<"20011026" and "709"/220-222.ccls. and 709/226, 229.ccls. and (model models) with layer\$1 same attribut\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:05 |
| S16 | 17 | @ad<"20011026" and "709"/220-222.ccls. and 709/226, 229.ccls. and (model models) with layer\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:09 |
| S17 | 2 | @ad<"20011026" and "709"/220-222.ccls. and 709/226, 229.ccls. and optimiz\$6 near10 allocat\$4 near10 (server\$1 cluster\$1 resourc\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:10 |
| S18 | 923 | optimiz\$6 near10 allocat\$4 near10 (server\$1 cluster\$1 resourc\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:10 |
| S19 | 18 | @ad<"20011026" and "709"/220-222,226,229.ccls. and optimiz\$6 near10 allocat\$4 near10 (server\$1 cluster\$1 resourc\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:29 |
| S20 | 13 | S19 and model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:36 |
| S21 | 7 | S19 and hierarch\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:40 |
| S22 | 229 | S18 and hierarch\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 12:40 |
| S23 | 25 | S18 and hierarch\$4 with model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:12 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S24 | 10 | virtual\$4 with hierarch\$4 with model\$4 near10 network\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:22 |
| S25 | 1 | inherit\$7 near10 hierarch\$4 near10 model\$4 near10 network\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:23 |
| S26 | 40 | inherit\$7 same hierarch\$4 same model\$4 same network\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:31 |
| S27 | 35 | inherit\$7 same hierarch\$4 same model\$4 same servic\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:35 |
| S28 | 8 | S26 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:32 |
| S29 | 45 | 709/220-222.ccls. and 717/171, 164.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:36 |
| S30 | 12 | 709/220-222.ccls. and 717/171, 164.ccls. and model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:38 |
| S31 | 2 | "20020198995" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:39 |
| S32 | 11095 | servic\$4 near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:39 |
| S33 | 0 | servic\$4 near10 class\$4 near10 demand\$4 near10 network near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:56 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S34 | 25 | optimiz\$6 near10 model\$4 near10 network\$4 near10 servic\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:36 |
| S35 | 49 | optimiz\$6 near10 model\$4 near10 network\$4 same servic\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:39 |
| S36 | 33 | layer\$4 near10 relationship\$4 near10 model\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:44 |
| S37 | 484 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and 2ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:46 |
| S38 | 284 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:46 |
| S39 | 203 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and @ad<"20011026" and model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:46 |
| S40 | 100 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and @ad<"20011026" and model\$4 and demand\$4 and capacit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:46 |
| S41 | 120 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and @ad<"20011026" and model\$4 and demand\$4 and (capacit\$4 bandwidth\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:55 |
| S42 | 10 | virtual near10 network\$4 near10 layer\$4 and servic\$4 near10 layer\$4 and @ad<"20011026" and model\$4 same demand\$4 same (capacit\$4 bandwidth\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 14:50 |
| S43 | 3723 | optimiz\$4 near10 (map mapping maps associates associate correlat\$4) SLA near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:03 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S44 | 0 | optimiz\$4 near10 (map mapping maps associates associate correlat\$4) near10 SLA near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:03 |
| S45 | 0 | optimiz\$4 near10 (map mapping maps associates associate correlat\$4) near10 Servic\$4 near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:03 |
| S46 | 5 | optimiz\$4 near10 (map mapping maps associates associate correlat\$4) same Servic\$4 near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:06 |
| S47 | 707 | server\$1 near5 layer\$4 same Servic\$4 near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:08 |
| S48 | 39 | server\$1 near5 model\$4 same Servic\$4 near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:09 |
| S49 | 334 | (multiple\$4 pluarlit\$4) near10 service\$4 near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:13 |
| S50 | 322 | (multiple\$4 pluarlit\$4) near10 server\$4 near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:13 |
| S51 | 58 | S49 and S50 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:15 |
| S52 | 35 | user near10 defin\$4 near10 server\$4 near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:22 |
| S53 | 61 | user near10 defin\$4 near10 server\$4 near10 (model\$4 template\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:23 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S54 | 267 | user near10 (creat\$4 defin\$4) near10 (cluster\$4 server\$4) near10 (model\$4 template\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:21 |
| S55 | 150 | user near10 (creat\$4 defin\$4) near10 (cluster\$4 server\$4) near10 (model\$4 template\$4) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:26 |
| S56 | 35 | S52 and S53 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:22 |
| S57 | 9 | user near10 defin\$4 near10 server\$4 near10 (model\$4 template\$4) and @ad<"20011026" and "709"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:23 |
| S58 | 133 | user near10 (creat\$4 defin\$4) near10 (server\$4) near10 (model\$4 template\$4) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:28 |
| S59 | 505 | 709/220-222.ccls. and 709/223-226.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:28 |
| S60 | 19 | 709/220-222.ccls. and 709/223-226.ccls. and @ad<"20011026" and server adj model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 15:35 |
| S61 | 3 | 709/220-222.ccls. and 709/223-226.ccls. and @ad<"20011026" and service adj model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:09 |
| S62 | 1 | "5796951".PN. | USPAT; USOCR | OR | OFF | 2005/01/18 16:08 |
| S63 | 0 | 709/220-222.ccls. and 709/223-226.ccls. and @ad<"20011026" and server near4 (farm\$2 cluster\$2) adj4 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:11 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S64 | 2 | 709/220-226.ccls. and @ad<"20011026" and server near4 (farm\$2 cluster\$2) adj4 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:14 |
| S65 | 2 | 709/220-226.ccls. and @ad<"20011026" and server\$2 near4 (farm\$2 cluster\$2) adj4 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:14 |
| S66 | 2 | 709/220-226.ccls. and @ad<"20011026" and server\$2 near4 (farm\$2 cluster\$2) adj4 (template\$3 model\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:15 |
| S67 | 15 | 709/220-226.ccls. and @ad<"20011026" and server\$2 with (farm\$2 cluster\$2) with (template\$3 model\$4) not S65 not S66 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:15 |
| S68 | 1 | "6182136".PN. | USPAT; USOCR | OR | OFF | 2005/01/18 16:30 |
| S69 | 1 | "6138122".PN. | USPAT; USOCR | OR | OFF | 2005/01/18 16:31 |
| S70 | 1 | "6076106".PN. | USPAT; USOCR | OR | OFF | 2005/01/18 16:31 |
| S71 | 1 | "5778049".PN. | USPAT; USOCR | OR | OFF | 2005/01/18 16:32 |
| S72 | 162 | optimal near10 allocat\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:27 |
| S73 | 4 | "10046519" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:27 |
| S74 | 4 | "10046516" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:27 |
| S75 | 70 | optimal near10 allocat\$4 and "709"/\$.ccls. and (map mapping) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:27 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S76 | 4 | optimal near10 allocat\$4 and "709"/\$.ccls. and (map mapping) near10 model\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:28 |
| S77 | 50 | optimal near10 allocat\$4 and "709"/\$.ccls. and (map mapping) and model\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:28 |
| S78 | 46 | optimal near10 allocat\$4 and "709"/\$.ccls. and (map mapping) and model\$6 not S76 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:29 |
| S79 | 29 | optimal near10 allocat\$4 and "709"/\$.ccls. and (map mapping) and model\$6 not S76 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:49 |
| S80 | 52 | optimal\$4 near10 allocat\$4 and (map mapping) and model\$6 near10 layer\$4 not S76 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 16:52 |
| S81 | 73 | (optimiz\$6 optimal\$4) near10 (map mapping) near10 (server\$1 router\$1 node\$1) AND model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:01 |
| S82 | 38 | (optimiz\$6 optimal\$4) near10 (map mapping) near10 (server\$1 router\$1 node\$1) AND model\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:03 |
| S83 | 41 | (optimiz\$6 optimal\$4) near10 (map mapping) near10 (server\$1 router\$1 node\$1) AND (template\$1 model\$4) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:13 |
| S84 | 53 | (optimiz\$6 optimal\$4) near10 (map mapping) near10 (server\$1 router\$1 device\$1 node\$1) AND (layer\$4) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:15 |
| S85 | 41 | (optimiz\$6 optimal\$4) near10 (map mapping) near10 (server\$1 router\$1 device\$1 node\$1) AND (layer\$4) and @ad<"20011026" not S83 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:20 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S86 | 721 | model\$4 near10 (network\$4) and determin\$6 near10 allocat\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:21 |
| S87 | 189 | model\$4 near10 (network\$4) and determin\$6 near10 allocat\$4 and @ad<"20011026" and "709"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:21 |
| S88 | 77 | model\$4 near10 (network\$4) same layer\$4 and determin\$6 near10 allocat\$4 and @ad<"20011026" and "709"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:22 |
| S89 | 8 | model\$4 near10 (network\$4) same layer\$4 and determin\$6 near10 allocat\$4 same (map maps mapping) and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:23 |
| S90 | 11 | model\$4 same layer\$4 and determin\$6 near10 allocat\$4 same (map maps mapping) and @ad<"20011026" and "709"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:23 |
| S91 | 3 | model\$4 same layer\$4 and determin\$6 near10 allocat\$4 same (map maps mapping) and @ad<"20011026" and "709"/\$. ccls. not S89 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:24 |
| S92 | 0 | model\$4 near10 cluster\$1 near10 node\$1 near10 network\$4 same capacit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:25 |
| S93 | 90 | model\$4 near10 node\$1 near10 network\$4 same capacit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:25 |
| S94 | 5 | model\$4 near10 node\$1 near10 network\$4 same capacit\$4 same layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:28 |
| S95 | 13 | model\$4 near10 layer\$4 near10 network\$4 and 703/21-22.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:29 |

| | | | | | | |
|----------|------|---|---|----|-----|------------------|
| S96 | 29 | 709/217-226.ccls. and 703/21-22.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:30 |
| S97 | 6 | 709/217-226.ccls. and 703/21-22.ccls. and @ad<"20011026" and model\$4 near10 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:33 |
| S98 | 6 | "6014697" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:47 |
| S99 | 16 | "6363056" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:35 |
| S10 0 | 8 | layer\$4 near10 service\$1 near10 application\$1 near10 task\$1 near10 process\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:48 |
| S10 1 | 5727 | layer\$4 near10 model\$4 same (network\$4 servic\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:49 |
| S10 2 | 1515 | layer\$4 near10 model\$4 same (network\$4 servic\$4) and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:49 |
| S10 3 | 564 | layer\$4 near10 model\$4 same (servic\$4) and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:50 |
| S10 4 | 103 | model\$4 same (servic\$4 near10 demand\$4) and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/31 17:50 |
| S10 5 | 56 | model\$4 same (servic\$4 near10 demand\$4) and "709"/\$.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:02 |

| | | | | | | |
|----------|------|---|---|----|-----|------------------|
| S10 6 | 1598 | model\$4 near5 layer\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:19 |
| S10 7 | 3 | server adj layer\$1 near5 cluster\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:20 |
| S10 8 | 1 | "6393466".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 08:29 |
| S10 9 | 1 | "6230164".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 08:30 |
| S11 0 | 1 | "6230164".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 08:30 |
| S11 1 | 1 | "6192359".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 08:30 |
| S11 2 | 1 | "5970495".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 08:31 |
| S11 3 | 264 | hierarch\$6 near10 layer\$4 near10 model\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:34 |
| S11 4 | 51 | hierarch\$6 near10 layer\$4 near10 model\$4 and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:34 |
| S11 5 | 3 | cluster\$4 adj layer\$1 same application\$1 near3 layer\$1 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:47 |
| S11 6 | 9 | cluster\$4 adj layer\$1 and application\$1 near3 layer\$1 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:48 |
| S11 7 | 7 | generat\$4 near10 map\$6 near10 demand\$4 near10 capacit\$4 and layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 08:50 |
| S11 8 | 17 | "5764740" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:47 |

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S11 9 | 13 | "6047320" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:18 |
| S12 0 | 25 | "5764911" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:54 |
| S12 1 | 0 | "5764911" and S119 and optim\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:55 |
| S12 2 | 2 | "5764911" and S119 and allocat\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:55 |
| S12 3 | 1 | "5764911" and S119 and map\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:56 |
| S12 4 | 0 | map\$6 near10 tunnel\$5 same capacit\$4 near10 demand\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 09:57 |
| S12 5 | 11 | map\$6 same capacit\$4 near10 demand\$4 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:00 |
| S12 6 | 8 | "6463454" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:00 |
| S12 7 | 122 | optim\$6 near10 (map mapped mapping) near10 node\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:11 |
| S12 8 | 15 | optim\$6 near10 (map mapped mapping) near10 node\$1 and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:17 |

| | | | | | | |
|----------|------|---|---|----|-----|------------------|
| S12 9 | 8 | "6463454" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:21 |
| S13 0 | 568 | server near5 optimization | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:21 |
| S13 1 | 11 | server\$1 near5 optimization same layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:23 |
| S13 2 | 70 | server\$1 near5 optimization same model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:24 |
| S13 3 | 45 | server\$1 near5 optimization same model\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:33 |
| S13 4 | 3601 | hierarch\$7 near5 application\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:34 |
| S13 5 | 2453 | hierarch\$7 near5 application\$2 and @ad<"20011026" and | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:34 |
| S13 6 | 385 | hierarch\$7 near5 application\$2 and @ad<"20011026" and "709"/\$.ccls.\ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:34 |
| S13 7 | 385 | hierarch\$7 near5 application\$2 and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:34 |
| S13 8 | 115 | hierarch\$7 near5 application\$2 and @ad<"20011026" and "709"/\$.ccls. and optimiz\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:41 |

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S13 9 | 1 | hierarch\$7 near5 servic\$2 same (optimiz\$7 optimal) and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:42 |
| S14 0 | 13 | hierarch\$7 near5 servic\$2 same (optimiz\$7 optimal) and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:44 |
| S14 1 | 1 | parent near5 child\$4 near10 model\$4 same (optimiz\$6 optimal\$4) and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 10:45 |
| S14 2 | 15 | parent near5 child\$4 near10 model\$4 and @ad<"20011026" and "709"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:01 |
| S14 3 | 1 | "5796951".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:52 |
| S14 4 | 1 | "5778049".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:54 |
| S14 5 | 1 | "5692106".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:55 |
| S14 6 | 1 | "5455853".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:56 |
| S14 7 | 1 | "5276789".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:57 |
| S14 8 | 1 | "5185860".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 10:57 |
| S14 9 | 3258 | (optimiz\$7 optimal\$4) near5 allocat\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:01 |
| S15 0 | 26 | (optimiz\$7 optimal\$4) near5 allocat\$4 near10 layer\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:07 |
| S15 1 | 90 | (optimiz\$7 optimal\$4) near5 allocat\$4 near10 model\$4 and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:20 |

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S15 2 | 11 | client near10 demand\$4 near10 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:21 |
| S15 3 | 43 | client near10 demand\$4 near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:23 |
| S15 4 | 47 | minimum adj guaranteed and engineering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:23 |
| S15 5 | 2 | minimum adj guaranteed and engineering and maximum adj allowed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:26 |
| S15 6 | 13 | "5889956" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:43 |
| S15 7 | 67 | server near5 group\$4 near5 layer\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:44 |
| S15 8 | 32 | server near5 group\$4 near5 layer\$4 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 11:48 |
| S15 9 | 19 | client\$4 near5 group\$4 near10 load near10 balanc\$4 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:33 |
| S16 0 | 21 | client\$4 near5 group\$4 near10 load\$1 near10 balanc\$4 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:33 |
| S16 1 | 2 | client\$4 near5 group\$4 near10 load\$1 near10 balanc\$4 and @ad<"20011016" not S159 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:34 |

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S16 2 | 44 | client\$4 near5 group\$4 same load\$1 near10 balanc\$4 and @ad<"20011016" not S159 not S160 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:35 |
| S16 3 | 490 | (map mapping maps) near10 service\$1 near10 server\$1 and @ad<"20011016" not S159 not S160 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:35 |
| S16 4 | 16 | (map mapping maps) near10 service\$1 near10 server\$1 same capacit\$4 and @ad<"20011016" not S159 not S160 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 13:26 |
| S16 5 | 2 | minimum adj guaranteed and engineering and maximum adj allowed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 12:43 |
| S16 6 | 27 | service\$1 near3 domain\$1 near10 layer\$4 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 13:40 |
| S16 7 | 0 | distribut\$4 near10 software near10 higherarch\$6 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 13:40 |
| S16 8 | 87 | distribut\$4 near10 software near10 hierarch\$6 and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 13:44 |
| S16 9 | 0 | distribut\$4 near10 software near10 hierarch\$6 same (map maps mapped mapping) and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 13:44 |
| S17 0 | 29 | distribut\$4 near10 software near10 hierarch\$6 and (map maps mapped mapping) and @ad<"20011016" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 15:15 |
| S17 1 | 7 | "6553240" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 15:16 |

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S17 2 | 1 | "6353839".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 15:17 |
| S17 3 | 1 | "6317831".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 15:17 |
| S17 4 | 1 | "6314432".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 15:17 |
| S17 5 | 1 | "6223291".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 15:18 |
| S17 6 | 0 | ("2002/0049842").URPN. | USPAT | OR | OFF | 2005/02/01 15:40 |
| S17 7 | 0 | softwar3 near10 deployment near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:25 |
| S17 8 | 96 | software near10 deployment near10 model\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:32 |
| S17 9 | 91 | deployment near10 model\$4 and "717"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:34 |
| S18 0 | 45 | deployment near10 model\$4 and "717"/\$.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:44 |
| S18 1 | 17 | model\$4 same optimiz\$6 and "717"/168-178.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:44 |
| S18 2 | 8 | model\$4 near10 optimiz\$6 and "717"/168-178.ccls. and @ad<"20011026" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:44 |
| S18 3 | 8 | normaliz\$4 near10 attribute\$1 near10 server\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:41 |
| S18 4 | 0 | "max_bandwidth" same "minimum_guaranteed" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:42 |

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S18 5 | 7 | "max_bandwidth" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:42 |
| S18 6 | 0 | "minimum_guaranteed" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:42 |
| S18 7 | 2182 | guaranteed near5 bandwidth | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S18 8 | 0 | "minimum_guaranteed" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S18 9 | 526 | "minimum" adj "guaranteed" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S19 0 | 202 | "minimum" adj "guaranteed" and S187 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S19 1 | 162 | "minimum" adj "guaranteed" same S187 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 14:43 |
| S19 2 | 3 | "minimum" adj "guaranteed" same S187 and department near10 engineering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:18 |
| S19 3 | 2 | server near10 allocat\$4 near10 xml | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:18 |
| S19 4 | 80 | server near10 model\$4 near10 xml | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:19 |

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S19 5 | 53 | server near10 mapping near10 xml | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:50 |
| S19 6 | 5 | 715/733-747.ccls. and 709/220-226.ccls. and 707/100-104.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:53 |
| S19 7 | 3 | 715/733-747.ccls. and 709/220-226.ccls. and 719/311-316.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 15:53 |